

EDGE DETAIL NOT APPLICABLE FOR ALL BUILDING TYPES AND REGIONS. EDGE DETAIL AND BALLAST MAY REQUIRE A PARAPET AND/OR PAVER STRAPS TO MEET MINIMUM WIND UPLIFT REQUIREMENTS. REFER TO DESIGN PROFESSIONAL TO CONFIRM WIND UPLIFT AND ROOF EDGE REQUIREMENTS.

PERFORATED EDGE RESTRAINT

GROWING MEDIA
(VEGETATION NOT SHOWN FOR CLARITY)

FILTER FABRIC

OPTIONAL MOISTURE RETENTION FABRIC

WATER RETENTION AND DRAINAGE COMPOSITE

INSULATION

OPTIONAL DRAINAGE COMPOSITE

ROOT BARRIER


MODIFIEDPLUS G100S/S

HENRY 790-11/790-11EV
2-PLY 215 MIL REINFORCED WITH POLYESTER FABRIC

HENRY 910 ASPHALT PRIMER
OR **HENRY 930 POLYMER MODIFIED ADHESIVE**

NEOFLASH OR HENRY 990-25
SET IN **HENRY 790-11** (125 MILS)

FOR REFERENCE ONLY - METAL EDGE DESIGN AND FASTENING METHODS AS SPECIFIED BY OTHERS



NOTES:

1. DETAIL SHOWS HENRY VEGETATIVE ROOFING WITH **HENRY 790-11/790-11EV** WATERPROOFING/ROOFING ASSEMBLY. SUBSTRATE SHOWN IS FOR REFERENCE ONLY. REFER TO PRODUCT SPECIFIC TECHNICAL DATA SHEET FOR AUTHORIZED SUBSTRATES.
2. DEPTH OF GROWING MEDIA MAY VARY DEPENDING ON PROJECT SPECIFIC REQUIREMENTS.
3. DETAIL IS FOR REFERENCE ONLY. REFER TO DESIGN PROFESSIONAL TO VERIFY WIND UPLIFT MINIMUM REQUIREMENTS.
4. REFER TO THE VEGETATIVE ROOFING GUIDE SPECIFICATION FOR RECOMMENDED INSTALLATION PROCEDURES.

MANUFACTURER GUIDE DETAILS ARE FOR REFERENCE ONLY. HENRY DOES NOT ASSUME RESPONSIBILITY FOR ERRORS OR DEVIATIONS IN DESIGN OR ENGINEERING. PROJECT SPECIFIC VERIFICATION IS RECOMMENDED PRIOR TO INSTALLATION.

VEGETATIVE ROOFING - HENRY 790-11/790-11EV

ROOF EDGE

**METAL EDGE IN LIEU OF PARAPET
DETAIL NOT APPLICABLE FOR ALL BUILDING TYPES**

SCALE: N.T.S.

06-01-2020

VR-790-11-3F



999 N. Pacific Coast Hwy, Suite 800
El Segundo, CA 90245
800-486-1278 • www.henry.com