# Blueskin Metal Clad Weather Barrier by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 00,00

PRODUCT DESCRIPTION: Henry Blueskin Metal Clad is a self-adhesive composite membrane of rubberized asphalt and dual-layers of high strength polyethylene with surface layer of metallic aluminum film. Supplied in various width rolls with removable release film, this self-adhered waterproofing and air barrier product exhibits excellent weathering resistance due to metallic surfacing as well as high adhesion to various substrates including: building penetrations, window openings, transitions, and roof surfaces. Commonly used in Building Envelope System® air barrier transition in conjunction with Air-Bloc® or Blueskin® membranes. Priming is required for maximum adhesion.

## **Section 1: Summary**

## **Basic Method / Product Threshold**

CONTENT INVENTORY				
nventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Abov	re the Threshold Indicated Are:
Nested Materials Method Basic Method	<ul><li> 100 ppm</li><li> 1,000 ppm</li><li> Per GHS SDS</li></ul>	<ul><li>Considered</li><li>Partially Considered</li><li>Not Considered</li></ul>	Characterized % weight and role pr	C Yes Ex/SC ⊙ Yes C No rovided for all substances.
Threshold Disclosed Per  Material  Product	C Per OSHA MSDS C Other	Explanation(s) provided for Residuals/Impurities?  Yes No	Screened  All substances screetesults disclosed.	○ Yes Ex/SC ○ Yes ○ No aned using Priority Hazard Lists with
			Identified  All substances disclo	C Yes Ex/SC • Yes C No

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BLUESKIN METAL CLAD WEATHER BARRIER [ ASPHALT LT-1 | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK STYRENE BUTADIENE RUBBER (SBR) LT-UNK ALUMINUM BM-1 | PHY | END | RES SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK QUARTZ LT-1 | CAN SULFUR LT-UNK | SKI ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen
Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

None

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-Declared

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2020-02-13 PUBLISHED DATE: 2020-02-13 EXPIRY DATE: 2023-02-13



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## **BLUESKIN METAL CLAD WEATHER BARRIER**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered down to 100 ppm

OTHER PRODUCT NOTES: None

HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-02-13
%: 50.00 - 60.00	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	ROLE: Waterproofing/flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	١	WARNINGS	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	ens Occupational Carcinogen		cinogen
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	IARC		Group 2B - Possil	bly carcinogenic to humans - inhaled from
CANCER	MAK		Carcinogen Group	p 3B - Evidence of carcinogenic effects

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2020-02-13			
%: 30.00 - 40.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Filler/film strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warr	nings found on HPD Priority Hazard List

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that use.

SUBSTANCE NOTES: Used as a protective/reflective film

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-02-13		
%: 5.00 - 10.00	GS: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	ROLE: Flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	o warnings found	on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ALUMINUM				ID: <b>7429-90-5</b>
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEN	IING DATE: <b>2020-0</b>	2-13
%: 1.00 - 5.00	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	ROLE: Reflection
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catch	nes fire spontaneo	usly if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In coi	ntact with water re	eleases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	docrine Disruptor	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (	Rs) - sensitizer-ind	duced

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)  ID: 65997-17-					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-02-13		
%: 1.00 - 5.00	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Reinforcement	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fo	ound on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Not p	resent in a respirable form.				

QUARTZ ID: 14808-60-7				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-02-13		-02-13
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Not present in a respirable form.

SULFUR 1D: 7704-34-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-02-13		
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	SS	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		tation

SUBSTANCE NOTES: Not in respirable form. Sulfur compounds may be emitted if product is heated to above 400F



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

Self-Declared

10-30

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use product



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

No additional general notes for this product.

#### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive) **REP** Reproductive toxicity

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

## **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both Both Preconsumer and Postconsumer** Unk Inclusion of recycled content is unknown None Does not include recycled content

## Other Terms

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.