Pro-Grade® 941 Primer by Henry Company

CLASSIFICATION: 07 00 00.00

PRODUCT DESCRIPTION: PRO-GRADE® 941 PRIMER IS A ONE-COMPONENT, FILM FORMING ADHESION PROMOTER DESIGNED TO ENHANCE THE BOND STRENGTH OF SILICONE TOP COATINGS TO ROOF SURFACES, INCLUDING SINGLE PLY MEMBRANE ROOFS, METAL ROOFS, CONCRETE ROOFS AND PREVIOUSLY COATED ROOFS. IT IS EASILY APPLIED BY SPRAY, ROLLER OR BRUSH AND DRIES QUICKLY.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY

Threshold per material
- (●) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Per OSHA MSDS
- ( ) Other

Residuals and impurities considered in 1 of 1 materials
- (●) see Section 2: Material Notes
- (●) see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized..... Are the Percent Weight and Role provided for all substances?	(●) Yes	( ) No
Screened..... Are all substances screened using Priority Hazard Lists with results disclosed?	(●) Yes	( ) No
Identified..... Are all substances disclosed by Name (Specific or Generic) and Identifier?	(●) Yes	( ) No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

PROGRADE 941 PRIMER [ACETONE BM-2 | EYE | END | DEV | PHY SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC LT-1 | CAN | GEN | MAM | MUL SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 ETHANOL BM-2 | CAN | DEV | PHY METHANOL LT-1 | MAM | DEV | MUL | PHY *N-HEPTANE, BRANCHED, CYCLIC AND LINEAR* UNK *OCTANE* LT-P1 | SKI | AQU | PHY | MAM | MUL]

Number of Greenscreen BM-4/BM3 contents..... 0

Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1

Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 65 Regulatory (g/l):

Does the product contain exempt VOCs: Yes

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

(●) Self-Published*	VERIFIER:	SCREENING DATE: January 29, 2017	EXPIRY DATE*: January 29, 2020
( ) Third Party Verified	VERIFICATION #:	RELEASE DATE: January 29, 2017	* or within 3 months of significant change in product contents

*See HPDC website for details

Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

PROGRADE 941 PRIMER **%: 100.0000 - 100.0000** **HPD URL:**

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

ACETONE ID: 67-64-1

%: 80.0000 - 90.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Solvent

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES:

SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPHATIC ID: 64742-89-8

%: 3.0000 - 7.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Solvent

HAZARDS:	AGENCY(IES) WITH WARNINGS:	
CANCER	EU - R-phrases	R45 - May cause cancer
GENE MUTATION	EU - R-phrases	R46 - May cause heritable genetic damage
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B

SUBSTANCE NOTES: Does not contain benzene - not classified as a carcinogen or mutagen.

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED ID: 70131-67-8

%: 3.0000 - 7.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Polymer

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ETHANOL ID: 64-17-5

%: 1.0000 - 5.0000	GS: BM-2	RC: None	NANO: NO	ROLE: Solvent

HAZARDS:		AGENCY(IES) WITH WARNINGS:
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
DEVELOPMENTAL	CA EPA - Prop 65	Developmental - specific to chemical form or exposure route
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: Not intended for consumption.

METHANOL ID: 67-56-1

%: 1.0000 - 5.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Solvent

HAZARDS:		AGENCY(IES) WITH WARNINGS:
MAMMALIAN	EU - R-phrases	R23 - Toxic by Inhalation (gas, vapour, dust/mist)

MAMMALIAN	EU - R-phrases	R24 - Toxic in Contact with Skin
MAMMALIAN	EU - R-phrases	R25 - Toxic if Swallowed
ORGAN TOXICANT	EU - R-phrases	R39 - Danger of very serious irreversible effects
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ORGAN TOXICANT	EU - GHS (H-Statements)	H370 - Causes damage to organs
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES:

N-HEPTANE, BRANCHED, CYCLIC AND LINEAR ID: 426260-76-6

%: Impurity/Residual	GS: UNK	RC: None	NANO: NO	ROLE: Impurity/Residual

HAZARDS:	**AGENCY(IES) WITH WARNINGS:**
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

OCTANE ID: 111-65-9

%: Impurity/Residual	GS: LT-P1	RC: None	NANO: NO	ROLE: Impurity/Residual

HAZARDS:		**AGENCY(IES) WITH WARNINGS:**
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd.
Suite 800
El Segundo, CA 90245
USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
MAM Mammalian/systemic/organ toxicity
MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion
PBT Persistent Bioaccumulative Toxic
PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)
LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.