

HPD UNIQUE IDENTIFIER: 28859

CLASSIFICATION: 07 14 16 Cold Fluid-Applied Waterproofing

PRODUCT DESCRIPTION: Pro-Grade® 988 Silicone Roof Coating is a solvent-free, one-component, moisture-curing silicone rubber roof coating system for use on existing smooth asphaltic BUR, smooth or granulated cap sheet, single ply roof membrane, well-adhered acrylic coating, metal, sprayed-in-place polyurethane foam and various aged membrane roofing.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

100% SILICONE WHITE ROOF COATING [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END POLYDIMETHYL SILOXANE LT-UNK | PBT OCTAMETHYLCYCLOTETRASIOXANE (D4) BM-1 | END | MUL | PBT | REP 2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI) (9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE BM-1 | CAN QUARTZ BM-1 | CAN CARBON BLACK BM-1 | CAN FERRIC OXIDE BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 10 Regulatory (g/l): 10

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-06-22

PUBLISHED DATE: 2022-06-22

EXPIRY DATE: 2025-06-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

100% SILICONE WHITE ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-22 21:44:45

#: 50.0000 - 60.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Water resistance

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-22 21:44:45

#: 20.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Not in respirable form

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-22 21:44:46

#: 5.0000 - 10.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

SUBSTANCE NOTES: Not available in respirable form.

POLYDIMETHYL SILOXANE

ID: 9016-00-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-22 21:44:46**

#: **5.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |

SUBSTANCE NOTES: None

OCTAMETHYLCYCLOTETRAILOXANE (D4)

ID: 556-67-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-22 21:44:47**

#: **3.0000 - 7.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | US EPA - PPT Chemical Action Plans | TSCA Work Plan chemical - Action Plan in development |
| END | ChemSec - SIN List | Endocrine Disruption |
| PBT | EU - ESIS PBT | Under PBT evaluation |
| PBT | OR DEQ - Priority Persistent Pollutants | Priority Persistent Pollutant - Tier 1 |
| MUL | US EPA - PPT Chemical Action Plans | TSCA Work Plan chemical - ongoing chemical (risk) assessment |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBITE) to the Environment (based on aquatic organisms) |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| END | EU - Priority Endocrine Disruptors | Category 1 - In vivo evidence of Endocrine Disruption Activity |
| PBT | EU - SVHC Authorisation List | PBT - Candidate list |
| PBT | EU - SVHC Authorisation List | vPvB - Candidate list |
| REP | EU - GHS (H-Statements) Annex 6 Table 3-1 | H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2] |

SUBSTANCE NOTES: None

2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI)

ID: 22984-54-9

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2022-06-22 21:44:47 | |
|---|---|--|
| %: 1.0000 - 5.0000 | GS: LT-UNK | |
| RC: None | NANO: No | |
| SUBSTANCE ROLE: Catalyst | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: None

FUMED SILICA, CRYSTALLINE-FREE

ID: 112945-52-5

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2022-06-22 21:44:48 | |
|---|---|--|
| %: 1.0000 - 5.0000 | GS: BM-1 | |
| RC: None | NANO: No | |
| SUBSTANCE ROLE: Viscosity modifier | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation |
| CAN | GHS - Japan | Carcinogenicity - Category 1A [H350] |

SUBSTANCE NOTES: Not in respirable form

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-22 21:44:48**

%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |

SUBSTANCE NOTES: Not available in respirable form.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-22 21:44:49**

%: **0.0000 - 1.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|-----------------------------------|--|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |

SUBSTANCE NOTES: Not available in respirable form.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-22 21:44:49**

%: **0.0000 - 3.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Not in respirable form

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-04-14 EXPIRY DATE:

CERTIFIER OR LAB: Henry Company

APPLICABLE FACILITIES: All Henry facilities

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-04-14 EXPIRY DATE:

CERTIFIER OR LAB: Henry Company

APPLICABLE FACILITIES: All Henry facilities

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
ADDRESS: 999 N. Pacific Coast Hwy.
 Suite 800
 El Segundo CA 90245, USA
WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
TITLE: Director, Regulatory Compliance Systems
PHONE: 484-557-1247
EMAIL: wrandall@henry.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | NoGS No GreenScreen. |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.